



# International Cooperative Monitoring for Reactors

Applied Antineutrino Physics Workshop SAND 2006-5868P

**September 25, 2006** 

George Baldwin
Sandia National Laboratories
Albuquerque, NM USA






#### **Outline**

- Establish the scope and context for this presentation
- Describe the concept of cooperative monitoring
- Cite examples of cooperative monitoring applied to reactors
- Draw conclusions with implications for antineutrino detection




## Reactors comprise only part of the overall fuel cycle.



# A comprehensive approach to international security issues is multidimensional.

Cooperative Monitoring

Our context: nuclear nonproliferation





### Why would I want to do anything beyond compliance? Isn't compliance sufficient?

- Compliance with the "letter of the law" often isn't enough to make judgments about intent
- There may be a lack of trust or confidence that the compliance-based approach is fully effective
- Promote our business: we're responsible and open about our use of nuclear technology
  - As a state, the target audience = other states
  - As a business, the target audience = public, suppliers, customers, neighbors
- Set a precedent, expectation or norm for others
- Avoid surprises
- Facilitate entry into a compliance regime



# Cooperative Monitoring (CM): The obtaining and sharing of agreed information among parties.

- Cooperation: requires consent of the monitored party
  - Not always "public": group that shares may be exclusive
  - Has specific, limited scope: it's not "everything"
- Nuclear transparency is an example of CM:
  - "a cooperative process of providing information to outside parties so that they can independently assess the safety, security, and legitimate management of nuclear materials."
- Establish that nuclear activities pose no threat:
  - Either our neighbor's nuclear activities, or our own
  - Whether intentionally or unintentionally
- Complements—does not replace—national capabilities



#### **Issues for Cooperative Monitoring**

- Policy
  - Context
  - Objectives
  - Constraints
  - Risk
- Supporting Infrastructure
  - Institutional
  - Technical
- Security
  - Information protection
  - Technical means
  - Protecting unrelated information


- Technical
  - Parameters / Observables
  - Method
  - Reliability
  - Redundancy
  - Trustable
  - Workability
  - Sharable
- Results & Anomalies
  - what to do if the system works?
  - What if it doesn't?
  - Procedures…!



#### Cooperative measures put undeclared nuclear activities at risk for detection.

#### Assumption

- Undeclared activity would not want to be discovered
- Conclusions
  - Detection measures may not have to be perfect to discourage undeclared activities
  - States are unlikely to cheat if they accept cooperative monitoring of their nuclear activities





### Cooperative monitoring of reactors: What are we interested in knowing?



- Reactor design
- Reactor status
  - Construction / Operation / Shutdown / Decommissioned
- Facility operation
  - Potential for undeclared / other activities?
  - Deviation from expected practice
- Non-diversion of nuclear material
  - Especially direct-use: fresh MOX; spent fuel
- Physical protection
- Production of nuclear material and waste products
- Existence of an undeclared reactor



### Cooperative monitoring may address more than nonproliferation.



- Nuclear safety
  - Assurance that danger of an accident is minimal
- Environmental impact
  - Check for contamination of vegetation, groundwater, soil, etc.
  - Assess the radiation exposure risk to public
- Transportation of nuclear materials
  - Minimize hazards to those near the route of material shipments




#### Examples of cooperative monitoring for reactors


- Sharing operational and other information
  - Declare capabilities
  - Publish operating history, planning documents
  - Exchange or share routine facility data
- Providing access
  - Visits, inspections
  - Allow design verification
  - Access to processes: e.g., site selection, licensing
- Permitting independent (3rd party) monitoring
  - Offsite measurements for radionuclides
  - Portal / perimeter monitoring
  - Onsite monitoring of reactor power



#### Provision of reactor data

- Many routine measurements are made at reactors
- Facilities already transmit some data to national regulators






#### Examples:

- coolant temperature
- steam pressure
- thermal power
- turbine output
- containment pressure
- site radiation
- radiation in effluent water
- control rod positions
- emergency system status



#### Cooperative monitoring can facilitate direct interactions.

- Site visits
  - Technical inspections
  - Public relations tours
- Meetings
- Training
- Interactions can be via
  - Foreign ministries
  - Regulatory bodies
  - Professional societies
  - Academic institutions
  - Industrial associations



# Pre-NPT confidence building between Argentina and Brazil employed cooperative monitoring.



ABACC and IAEA inspectors at an inspection mission planning meeting

**ABACC:** 

Brazil-Argentina
Agency for the
Accounting and Control
of Nuclear Materials

ABACC inspector preparing inspection report

Inspectors receive practical training during safeguards course



Post inspection review



# Access can be provided through "virtual" tours: shown here is the High Flux Isotope Reactor.

**High Bay** 









Swing "eyes" around 360°

Control Room

Click "hot spot" to move to linked image





Click "hot spot" to display close-up image or a link to other information



# Cooperative monitoring may rely heavily on technology-based systems.


- Multinational Technical Project: Enhanced Transparency of Nuclear Material Storage
- Remote monitoring
- Reports status on demand
- Greater redundancy
- Less intrusive
- Reduced dependence on onsite inspections



**Australia** 



# Overhead imagery can reveal status of reactor facility construction: Bushehr, Iran (IKONOS)






# 3-D Laser Range Scanning is useful for verifying complicated as-built facility design changes.



#### Credit:

João G.M. Gonçalves, et al (JRC-Ispra/ IAEA) "3D Laser Range Scanner for Design Verification" Proc. INMM 44th Annual Meeting, Phoenix AZ, 13-17 July 2003



Change detection highlights differences from a previous reference image



# Overhead imagery can reveal operational status: Reactor restart at Yong Byon, DPRK (2002—2003)





# Both spatial and spectral information is useful in overhead sensing by satellite or aircraft.



Merged
Landsat/Spot
images of
Chernobyl
reactor site




## Landsat Thermal Band 6 reveals warm plume from operations at Tokai-Mura, Japan.



Spot: 10 meter




Landsat: IR 30 meter



Landsat: Thermal 120 meter



#### High-resolution satellite imagery is not useful for wide-area detection of undeclared activities.



It is essential for an analyst to know just where to look.



IRS-1 path and row map




# All reactors release some radioactivity during normal operation.

- Various radioactive isotopes can be detected
  - Near the reactor site (within a few km)
    - <sup>14</sup>C: graphite reactors; <sup>3</sup>H: heavy water reactors
    - also short-lived isotopes <sup>131</sup>I; <sup>41</sup>Ar
  - Distant
    - longer lived isotopes of iodine and various metals deposit in waterways (and their associated plants and animals)
    - evidence lasts many years in river deposits
    - seaweeds and invertebrates can concentrate some isotopes by 10,000-fold or more
- Collection & Analysis methods
  - Soil, water and swipe samples
  - Quantitative gamma spectroscopy



# Environmental sampling is an important tool for detecting trace evidence of undeclared activities.


- Natural concentrators various seaweed and invertebrates
- Long retention of traces sampling does not have to be prompt or frequent
- Wide area sampling low intrusiveness reduces sensitivities about losing legitimate industrial secrets
- Thermal Ionization Mass Spectroscopy (TIMS)
- Inductively Coupled Plasma Mass Spectroscopy (ICPMS)





# Nuclear environmental monitoring techniques are already part of several cooperative projects.

- Sampling for radioactive waste in the seas
  - Sea of Japan (RF, Japan, ROK, IAEA)
  - Barents Sea (RF, Norway, IAEA)
- IAEA tests of environmental monitoring techniques for the Additional Protocol
  - Sweden detected routine reactor radioactivity 20km out to sea
  - Hungary river sampling for radiation from reactor









# Airborne radionuclide techniques span levels of technical complexity.

- Total Gamma rate
  - measure total airborne radiation
  - useful for emergency warning; public awareness
- Gamma-ray energy analysis
  - gamma decay of isotopes has characteristic energies
  - portable or laboratory tool
- High sensitivity energy analysis (CTBT)
  - faster sampling
  - better sensitivity








# Environmental detection of airborne radioactivity can be complicated by non-reactor sources.

- Airborne radionuclide monitoring test in Canada was an operational test of CTBT sampling
- Unexpected, periodic changes in airborne radioactivity were detected indicating isotopes of sodium and iodine
- Eventually traced to a small, nearby industrial cyclotron producing medical isotopes









#### **CSCAP Nuclear Transparency Data Website:**

Airborne Radiation Data <a href="http://www.cscap.nuctrans.org">http://www.cscap.nuctrans.org</a>



# Airborne radionuclide monitoring was particularly useful during two recent events.

- Tokai-mura criticality accident
  - 240,000 people visited JNC-Tokai website in one day
  - JNC credited with addressing public fears
- Cerro Grande (LANL) forest fire
  - Newspapers reported rumors of radiation in smoke
  - Los Alamos NEWNET data showed only minor releases



#### **Conclusions**

- There is a universe of information exchange for reactors that exists outside of the safeguards world
- Consideration of potential application for antineutrino detection should also explore this non-Safeguards space
- Needs to be more than just a complicated, high-cost reactor power monitor
- Should exploit unique aspects
  - difficulty to be shielded or otherwise spoofed
  - Can provide isotopic discrimination of the fission source (U/Pu)

